



A hierarchical model for micro-level stochastic loss reserving

joint work with K. Antonio¹ and E.W. Frees²

44th Actuarial Research Conference
Madison, Wisconsin 30 Jul - 1 Aug 2009

Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction


Conclusion

E.A. Valdez
University of Connecticut
Storrs, Connecticut

¹U. of Amsterdam

²U. of Wisconsin – Madison

Dynamics of claims reserving



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion



- Put focus on RBNS claims: *Reported But Not Settled*.
- Use **micro-level** data to predict future development of open claims.
- Develop a **hierarchical** model.
- “A hierarchical model for micro–level stochastic loss reserving.”

Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

The data

- Data are from the *General Insurance Association of Singapore*.
- Observations are from one company over 10-year period: Jan 1993 – Jul 2002.
⇒ “present moment” in this case–study is 25 Jul 2002.
- **Policy file**: characteristics of policyholder and vehicle insured
⇒ age, gender, vehicle type, vehicle age, . . .
- **Claims file**: keeps track of each accident claim filed with the insurer
⇒ linked to policy file, contains accident date.
- **Payments file**: reports each payment made during observation period.
⇒ linked to claims file, with payment date, size and type.





Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- A claim will have **multiple payments** during its run-off.
- **Payment types** may be:
 - own damage (O) (including injury, property, fire, theft);
 - injury (I) to a party other than the insured;
 - property damage (P).
- Combinations of these types may also occur.
- Frees and Valdez (2008, JASA) summarized the many payments per claim into one single claim amount.

The data



Motivation

Data

Literature

Data structure

Statistical approach

Time to events


Payment type

Payments

Prediction


Conclusion

Development of claim 7




Acc. Date 12/14/1999

Development of claim 9942




Acc. Date 08/18/2001

Development of claim 21443



Acc. Date 04/25/1995

Development of claim 24076



Acc. Date 01/04/1996

The data

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach

Time to events


Payment type

Payments


Prediction

Conclusion


Arrival Year 1993



Arrival Year 1998



Arrival Year 2000



A traditional actuarial display

- **Run-off triangle**: aggregate claims per arrival year (AY) and development year (DY) combination.
- Run-off triangle for property (P) payments: (in '000s, non-cumulative)


Arrival Year	Development Year									
	1	2	3	4	5	6	7	8	9	10
1993	205.3	847.6	226.3	77.9	47.9	40.6	10.2	1.8	0.0	0.6
1994	1,081.3	1,750.4	534.7	153.8	73.0	51.1	16.2	37.3	5.8	
1995	900.9	1,822.7	578.5	202.0	54.1	48.2	9.5	1.3		
1996	1,272.8	1,816.9	583.7	255.2	44.2	24.1	11.4			
1997	1,188.7	2,257.9	695.2	166.8	92.1	12.9				
1998	1,235.4	3,250.0	649.9	211.2	74.1					
1999	2,209.8	3,718.7	818.4	266.3						
2000	2,662.5	3,487.0	762.7							
2001	2,457.3	3,650.3								
2002	673.7									

- Common statistical techniques: chain-ladder, distributional, Bayesian, GLMs, . . .
- Modeling individual claims run-off is less developed in the literature.



Micro-level data: literature

- **Suggestions** from actuarial literature: England and Verrall (2002), Taylor and Campbell (2002), Taylor, McGuire, and Sullivan (2006).
- Some **actuarial** papers:
 - Arjas (1989, ASTIN), Norberg (1993, ASTIN), Norberg (1999, ASTIN);
 - Haastrup and Arjas (1996, ASTIN);
 - Larsen (2007, ASTIN);
 - Zhao, Zhou, and Wang (2009, IME).
- **Statistical** resource: Cook and Lawless (2007), *Statistical analysis of recurrent events*.



A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

Observable data structure



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- total number of claims in the data set is $n = 43,729$;
- N_i , number of “events” in development period of claim i ;
- T_{ij} , **time of event j** , in months since the accident date ($T_{i0} = 0$ is accident date and T_{iN_i} is settlement date);
- C_i time of **censoring**;
- E_{ij} **type of event j** . We distinguish:
 - event type 1: direct settlement without any payments;
 - event type 2: payment with settlement;
 - event type 3: payment without settlement.
- M_{ij} **type of payment** for event j of claim i .
- P_{ijk} **size of payment** of type k (k being ‘own damage’ (O), ‘injury’ (I) or ‘property’ (P)) for event j of claim i .

Timing of events, per event type

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach




Time to events

Payment type

Payments

Prediction

Conclusion



Time of settlement, number of payments, times between payments

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach



Time to events

Payment type


Payments

Prediction

Conclusion



Time between payments (in months)





Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- Number of payments per type:

		Claim Type		
	(I)	(O)	(P)	
Number	1,417 (1.95%)	45,950 (63.3%)	21,775 (30%)	
	(I,O)	(I,P)	(O,P)	(O,I,P)
Number	107 (0.147%)	319 (0.439%)	3017 (4.16%)	9 (0.012%)

Distribution of payments



Motivation

Data

Literature

Data structure

Statistical approach








Time to events

Payment type

Payments

Prediction

Conclusion





Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- A **claim** i ($i = 1, \dots, n_c$) is a combination of
 - accident date (' \mathbf{AD}_i ');
 - set of covariates \mathbf{C}_i ;
 - development process \mathbf{X}_i :
$$\mathbf{X}_i = (\{E_i(v), M_i(v), \mathbf{P}_i(v)\})_{v \in [0, T_{iN_i}]};$$
- **Development process** \mathbf{X}_i is a jump process. 3 building blocks are used:
 - $E_i(t_{ij}) := E_{ij}$ is the type of the j th event in the development of claim i , occurring at time t_{ij} ;
 - If this event includes a payment, its payment is given by $M_i(t_{ij}) := M_{ij}$;
 - Corresponding payment vector is \mathbf{P}_{ij} .



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- **Intensity modeling** with single type of events at times t_{ij} :

$$L_i = \left(\prod_{j=1}^{N_i} \lambda_i(t_{ij}) \right) \exp \left(- \int_0^{\tau_i} \lambda_i(u) du \right).$$

- $[0, \tau_i]$ is the period of observation of subject i with $\tau_i = \min(T_{iN_i}, C_i)$.
- $\lambda_i(t)$ is the **event intensity** (or hazard rate) at time t for subject i .
- For **multitype events**: each “subject” is at risk of m different types of recurrent events.
 - Specify intensity function for each type of event ($k = 1, \dots, m$) with $\lambda_{ik}(t)$.



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- **How to specify the intensity functions** $\lambda_1(t)$ (for event 1), $\lambda_2(t)$ (for event 2) and $\lambda_3(t)$ (for event 3)?
- Techniques from survival analysis: ($k = 1, 2, 3$)
 - exponential: $\lambda_k(t) := \lambda_k$;
 - Weibull: $\lambda_k(t) := \alpha_k \gamma_k t^{\alpha_k - 1} e^{-\gamma_k t^{\alpha_k}}$;
 - Cox model: $\lambda_k(t) := \lambda_{0k}(t) \exp(\mathbf{z}'_k \beta_k)$;
 - piecewise constant:

$$\lambda_k(t) = \begin{cases} \lambda_{k1} & \text{for } 0 \leq t < t_{k1} \\ \lambda_{k2} & \text{for } t_{k1} \leq t < t_{k2} \\ \vdots & \\ \lambda_{kd} & \text{for } t_{kd-1} \leq t < t_{kd}. \end{cases}$$

Hazard rates per event type

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach




Time to events

Payment type

Payments

Prediction

Conclusion



Payment type



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- M_{ij} represents the combination of payments observed at t_{ij} .
- 7 combinations are possible: I , O , P , (I, O) , (I, P) , (O, P) and (O, I, P) .
- Claim type is modeled with **multinomial logit** model:

$$Pr(M_{ij} = m_{ij}) = \frac{\exp V_{ij,m}}{\sum_{s=1}^7 \exp(V_{ij,s})},$$

with $V_{ij,m} = \mathbf{x}'_{ij} \beta_{M,m}$.

- Covariate information used in multinomial model:
 - **Type of vehicle**, vehicle age, age of driver;
 - Arrival Year, **Development Year**.

Payments



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- Given M_{ij} for the event at time t_{ij} , P_{ij} gives corresponding severities.
- For the **sign of a payment**, use:

$$I_{ijk} = \begin{cases} 1 & \text{if } P_{ijk} > 0 \\ 0 & \text{if } P_{ijk} < 0, \end{cases}$$

and $s_{ijk} = Pr(I_{ijk} = 1)$.

- Use **logistic regression** to model the sign of P_{ijk} :

$$\text{logit}(s_{ijk}) = \mathbf{x}'_{ijl} \beta_{S,k}.$$

- Covariate information used in logistic models:
 - Development year;
 - Number of previous injury/own damage/property payments.

Negative part of payments



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

- **Burr regression:**

$$f_P(p) = \frac{\lambda \beta^\lambda \tau p^{\tau-1}}{(\beta + p^\tau)^{\lambda+1}},$$

with $\tau_{ijk} = \exp(\mathbf{x}'_{ijk} \beta_{P,k})$ with k for payment type.

- used for 'Property' and 'Own Damage' payments

- **GB2 regression:**

$$f_P(p) = \frac{|\alpha| p^{\alpha\gamma_1-1} \beta^{\alpha\gamma_2}}{B(\gamma_1, \gamma_2)(\beta^\alpha + p^\alpha)^{\gamma_1+\gamma_2}},$$

with $\alpha \neq 0$, $\beta, \gamma_1, \gamma_2 > 0$, $B(\alpha_1, \alpha_2)$ the usual beta function and $\beta_{ijk} = \exp(\mathbf{x}'_{ij} \beta_{P,k})$.

- used for 'Injury' payments

Positive part of payments

- Inspired by the histograms of the positive payments, we used a **mixture of lognormal regression** models:

$$\log(P) \sim w_1 N_1(\mu_1, \sigma_1^2) + w_2 N_2(\mu_2, \sigma_2^2) + w_3 N_3(\mu_3, \sigma_3^2),$$

where w_1 , w_2 and w_3 are weights, specified as

$$w_1 = \frac{\exp(a)}{\exp(a) + \exp(b) + \exp(c)},$$

$$w_2 = \frac{\exp(b)}{\exp(a) + \exp(b) + \exp(c)},$$




$$w_3 = \frac{\exp(c)}{\exp(a) + \exp(b) + \exp(c)},$$

and $N_i(\mu_i, \sigma_i^2)$ is a normal distribution with mean μ_i and variance σ_i^2 .

- Covariate information is incorporated in the weights and parameters μ_i and σ_i^2 ($i = 1, 2, 3$).



QQ plots on the negative payments



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

Histograms of the positive payments - own damage

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach




Time to events

Payment type

Payments

Prediction

Conclusion





- **Step 1:** *simulate the next event's time interval*
- **Step 2:** *simulate the exact time of the next event*
- **Step 3:** *simulate the event type*
- **Step 4:** *simulate payment type*
- **Step 5:** *simulate payments*
- **Step 6:** *stop or continue, if necessary - depending on whether settled or not*

Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments




Prediction

Conclusion

Resulting predictive distributions of reserves - by type

A hierarchical model
for micro-level
stochastic loss
reserving

E.A. Valdez



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion

Concluding remarks

- Main idea: *claims reserving using statistics for recurrent events*.
- The hope is to improve the prediction of reserves using detailed micro-level recorded information.
 - the cost is the additional complexity in the modeling involved.
- Additional work to be done:
 - comparing the results with traditional reserving methods.
- Similar methodology to other areas of actuarial statistics e.g. recurrent episodes in workers' compensation.



Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion



Thank you!

Motivation

Data

Literature

Data structure

Statistical approach

Time to events

Payment type

Payments

Prediction

Conclusion